

WOODEN  
LAMINATE  
FLOORINGS

EXTERIOR  
CLADDING  
& DECKING

SPC  
FLOORINGS



**Dicha**  
*Crafting Dreams*  
Brand By  
CASA DESIGNO

CDC 00401 - Smoothy Grey



# LAMINATE FLOORING INSPIRATION

THE GUIDE TO YOUR DREAM  
WOOD FLOOR

# LAMINATE FLOORING WITH DICHA ADVANTAGES

This serves as the ultimate assurance of our product crafted without compromise, delivering exceptional quality you can trust.



Wear Resistant



Impact Resistant



Slip Resistance




Moisture Resistant



Stain Resistant



Cigarette Burn Resistant





CDLV 00100 - Classic Oak


*Bliss 4u*



CDLV 00101 - Vintage Oak



  
**Dicha**  
*Crafting Dreams*




CDLV 00102 - Peanut Oak

*Bliss 4u*



CDLV 00103 - Dark Walnut



  
Dicha  
*Crafting Dreams*



CDL 00201 - Lime Oak


Bliss



CDL 00202 - Dark Brown Oak



  
**Dicha**  
*Crafting Dreams*



CDL 00203 - Soft Walnut


Bliss



CDL 00204 - Exotic Grey



  
**Dicha**  
*Crafting Dreams*



CDL 00205 - Captive Pine

Bliss



CDL 00206 - Elegant Oak




Dicha  
Crafting Dreams






CDH 00301 - Lavish Teak

*Elevate Herring Bone*



CDH 00302 - Italian Walnut






CDH 00303 - Royal Walnut




*Elevate Herring Bone*



CDH 00304 - Wild Oak



  
Dicha  
*Crafting Dreams*




CDH 00305 - Nature Oak

*Elevate Herring Bone*



CDH 00306 - Curly Grey




  
Dicha  
*Crafting Dreams*




CDC 00401 - Smoothy Grey


*Dominant Chevron*



CDC 00402 - Light Oak



  
**Dicha**  
*Crafting Dreams*




CDC 00403 - Antique Oak

# *Dominant Chevron*



CDC 00404 - Spark Walnut



# Enjoy with **DICHA** floors with best of durability and beauty.

Buying a DICHA laminate floorings is a long-term investment. We offer peace of mind because we believe in combining high quality materials with the best craftsmanship.

We Care about your **ease of living.**



We Care about the **environment.**

All laminate floors carry the CARB label, the warranty for responsible forestry management and preservation. It ensures that each time a tree is felled, a new one is planted.















## Easy to maintain

A light mopping or a cleaning system with moist towels is more than enough to clean your DICHA laminate in a minimum of time and to keep its lovely appearance for years.

# Technical Specifications

We offer you wide choices from Smooth patterns to true-to-nature Wood Grain structures.



Classification		LAMINATE FLOORING	
	<b>Level of use 23</b> Heavy residential use	EN 13329	Bed room, living rooms, home offices, etc.
	<b>Level of use 32</b> Light commercial use	EN 13329	Offices, kids play room, changing room, low traffic areas, etc.
	Abrasion resistance	EN 13329	AC4 Calss32
	Impact resistance	EN 13329	IC2
	Slipperiness	EN 14041	DS
	Anti Static characteristics	EN 14041	Laboratory test is fulfilled
	Resistance to staining	EN438-2	Grade5
	Resistance to cigarette burns	EN438-2	Slight change of the surface' s grande 4
	Light fastness	EN ISO 105-B02 EN 20105-A02	Blue wool scale : <sup>3</sup> 6 Grey scale : <sup>3</sup> 4
	Static indentation	EN 433	No visible change
	Effect of a furniture leg	EN 424	No visible damage
	Castor chair resistance	EN 425:2002	No visible damage
	Thickness swelling	ISO24336	<=18%
	Surface soundness	EN13329	> 1.00N/mm2

**15 Years\***

Residential Warranty  
for Wear, Stain & Fading

\*Terms & Conditions Apply





EXTERIOR CLADDING • DECKING



---






# WPC EXTERIOR CLADDING

2900 X 220 X 25MM  
(6.87 SQ FT PER PANEL)




# WPC EXTERIOR CLADDING


2900 X 220 X 25MM  
(6.87 SQ FT PER PANEL)




CDEL 3305





CDEL 3306



CDEL 3307



CDEL 3308



# FEATURES

## WPC EXTERIOR CLADDING & DECKING



**All Weather  
Conditions**




**Highly  
Durable**



**Termite  
Proof**




**Eco  
Friendly**



**UV  
Resistant**



**Water  
Proof**



# WPC DECKING

2900 X 150 X 23MM  
(4.67 SQ FT PER PANEL)



# SPC Floorings

Elevate Your Space with SPC!



# OUR ADVANTAGES

WHY **DICHA** SPC FLOORINGS?



**Impact  
Resistant**



**Fire  
Resistant**



**Termite  
Proof**



**Anti-  
Skid**



**Water  
Proof**



**Stain  
Resistant**



**Scratch  
Resistant**



**Glue Less  
Installation**

1220 x 181 x 5mm

23.77 sqft / box


REAL CDSP 501



1220 x 181 x 5mm

23.77 sqft / box

HAZEL CDSP 502



**Dicha**  
*Crafting Dreams*

1220 x 181 x 5mm

23.77 sqft / box

ANTIQUE CDSP 503



1220 x 181 x 5mm

23.77 sqft / box

BEAM CDSP 504



**Dicha**  
Crafting Dreams



1220 x 181 x 5mm

23.77 sqft / box

NEUTRAL CDSP 505



1220 x 181 x 5mm

23.77 sqft / box

ROBEL CDSP 506



**Dicha**  
*Crafting Dreams*

1220 x 181 x 5mm

23.77 sqft / box

MODERN CDSP 507



1220 x 181 x 5mm

23.77 sqft / box

MURKEY CDSP 508



**Dicha**  
*Crafting Dreams*

# SPC Flooring Technical Data

CHARACTERISTICS	STANDARDS			
	EN	Result	ASTM	Result
Size	EN 427	Pass	ASTM F536	Pass
Overall Thickness	EN 428	Pass	ASTM F36	Pass
Wear Layer Thickness	EN 429	Pass	ASTM F410	Pass
Dimension Squareness and Straightness	EN 427	Pass Squareness:0.18mm Straightness:0.07mm		
Chemical Resistance	EN 423	Pass	ASTM F925, ASTM F1344	Pass
Colour Fastness to Artificial Light	EN20105:B02 Method A	Pass, >Grade 6	ASTM F1515	Pass
Heat Stability by Color Change			ASTM F1514	Pass
Castor Chair Suitability	EN 425	Pass		
Residual Indentation	EN 433	Pass, 0.06mm	ASTM F1914, ASTM F970	Pass
Abrasion Group	EN 660-1/2	Group T	ASTM F510, ASTM D3384	Pass
Impact Resistance			ASTM F1265, ASTM D2632	Pass
Dimensional Stability	EN 434	Pass	ASTM F2199	Pass, 0.1%
Sound Resuction	ENISO717-2( $\Delta Lw$ )	2 dB		
Flexibility	EN 435 Method A	Pass	ASTM F137	Pass
Slip Resistance	EN 13893	Class DS	ASTMD2047-93	Pass
Electrical Resistance	EN 1081 Method C	Pass	ASTM F150-06	Pass
Thermal Resistance	EN 12664	Pass		
Toxic Element Test	EN 71-3	Pass. Not toxic. Does not Contain heavy metal and formaldehyde		
Behaviour to Fire	ENISO11925-2 ENI3501-1 EN ISO 9239-1	Bf1-S1	ASTM E648-06	Pass/Class1
Smoke Density			ASTM E662	Pass,<450





Brand By:



**Contact Us:**

Casa Designo International  
Khasra Number 162/2 & 245, Village Bhartal, Near Holi Chowk,  
New Delhi – 110 077

✉ [sales@casadesigno.com](mailto:sales@casadesigno.com)